



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/006,992	12/06/2001	Lawrence W. Stark	018158-018610US	1090

20350 7590 08/24/2005

TOWNSEND AND TOWNSEND AND CREW, LLP  
TWO EMBARCADERO CENTER  
EIGHTH FLOOR  
SAN FRANCISCO, CA 94111-3834

EXAMINER

SHAY, DAVID M

ART UNIT	PAPER NUMBER
----------	--------------

3739

DATE MAILED: 08/24/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/006,992

Applicant(s)

STARK ET AL.

Examiner

david shay

Art Unit

3739

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on May 31, 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 18-20 and 36-42 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 18-20 and 36-42 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

According to the originally filed specification, “An accuracy of at least one of the gradients of the gradient array may be determined by calculating a change in elevation along a closed integration path” (see the originally filed specification page 3, lines 18-20). Thus, since it is well known that integration is defined as the sum of a the difference between the value of a function at a given point and the value of that function at a second, nearby point, divided by the difference between the points as the difference between the points approaches zero, the integration in the claims represents the change in elevation along the closed integration path, and thus performing the integration is determining the accuracy of the gradient array, as set forth in the originally filed disclosure. Thus, the applied combination clearly teaches the claimed method.

Applicant also argues “None of the cited references have been shown to teach or suggest this combination of elements” with respect to claim 36 which recites “determining the accuracy of a gradient array in an optical tissue measurement that includes transmitting a source image from a light source posteriorly through the optical tissues and into the retina to define the image, wherein the image is transmitted posteriorly through a central region of the cornea, the central region having a size which is significantly less than a pupil size of the eye, and wherein the image is transmitted from the retina anteriorly through the optical tissues.” However, as can be easily seen from Figure 7 of Burns et al, the only portion of the above recitation that is not satisfied by the Burns et al reference alone is the portion related to “determining the accuracy”,

which as has already been discussed above, is satisfied by the integration of Seibel. Thus this argument is not convincing.

Claims 18-20 and 36-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Seibel et al in combination with Odrich et al and Burns. Seibel et al teach a method such as claimed except the transmission through optical tissue, reflection from the retina and a plurality of beamlets. Burns teach a spatially resolved refractometer, which transmits images through the cornea and receives images reflected off the retina. Odrich et al teach mapping the surface contour of the cornea using a spatially resolved refractometer. It would have been obvious to employ the refractometer of Burns in the method of Odrich et al and to produce the contour data by the close integration path method of Seibel et al, since Odrich et al discusses no method to produce the contour data required for the method, thus producing a method such as claimed.

Applicant's arguments filed May 31, 2005 have been fully considered but they are not persuasive. The arguments are not persuasive for the reasons set forth above.

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,


Art Unit: 3739

however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to david shay whose telephone number is (571) 272-4773. The examiner can normally be reached on Tuesday through Thursday from 6:30 a.m. to 5:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak, can be reached on Monday, Tuesday, Thursday, and Friday. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
DAVID M. SHAY  
PRIMARY EXAMINER  
GROUP 330